


7 U H Q F K 0 2 6 % D U U L H U 6 F K R W W N \ 5 H

763 / 63

TO-277



**Features**

- ‡ \$ G Y D Q W F U H Q F K W H F K Q R O R U \
- ‡ / R Z R U Z D Y R G W D J H G U R S
- ‡ / R Z R Z U R V V H V
- ‡ + L J H I L F L H Q F \ R S H U D W L R Q
- ‡ / H D G H H L Q L V K & R P S O L D Q W

**Applications**

- ‡ ' & ' & R Q Y H U W H U V
- ‡ \$ & ' & \$ G D S W R U V
- ‡ 6 Z L W F X R Q H X S S O L H V
- ‡ ) U H H Z K H H L Q G Q J V

**Maximum ratings and electrical characteristics (T<sub>J</sub> = 25°C unless otherwise noted)**

3 D U D P H W H U		6 \ P E R O	/ L P L W	8 Q L W
0 D [ L P X P H S H S E M U N Y Y H Y U R Q W D J H		9 5 5 0		9
0 D [ L P X P Y H U D R U H Z D U G U F X E W H I Q W G		, ) \$ 9		\$
3 H D N I R U Z D U F S U U H Q W V L Q D O H Q Z D Y H V X S H U L P S Q M H V C R S E G L R G H		, ) 6 0		\$
2 S H U D M X Q Q D Q C Q W R U D J H W D Q S H U D W X U H 7 6 7 *			5 W R	f &
7 \ S L F D O W K H U P D O U H V L V W D Q F H S H U G L S G H O R X Q W H G R Q ) 5				3 & f % :
, Q V W D Q W D Q H R R O W P U Z D U G S H G L R G H		9 )	7 < 3	0 \$ ;
	, ) \$			9
	, ) \$			
	, ) \$			
, Q V W D Q W D Q H R X U U S H O M H R O W H U D W H H G H Y U R Q W D J H	7 - f &	, 5		
	7 - f &			P \$

1 R W H V

3 X O V H W H V S X O V H Z L G W K G X W \ F \ F O H

3 X O V H W H V W 3 X O P V H Z L G W K 0

# VSP15L100SP




12-NOV-2015

## RATINGS AND CHARACTERISTICS CURVES

f & XQOHVQRWKBUZLVH



7, /HDG 7H&S




9I ,QVWDQWDQHRXV )RUZDUG 9ROWDJH P9 955HYHUVH 9ROWDJH 9ROWV

# VÙÚ15L100SP

12-NOV-2015

## PACKAGE OUTLINE DIMENSIONS



TO-277 mechanical data

81,7	\$	\$	E	E	'	'	(	(
------	----	----	---	---	---	---	---	---

# VSP15L100SP

12-NOV-2015

## Marking Information

3 URGXFW PRGHO 75615L100SPG  
WR 15LV00

3' & LQIRUPDWLRQ

< ; ::

:: :HHN FRGH WR

; ,QWHUQDO LGHQWLILFDWLRQ

< <H DU FRGH H[

801V0G1G P1RQ L R Q V

## Packaging Information

5 H H O ' L P H Q V L R Q V

